




VETERANS MEDICAL DISTRIBUTORS



Contact:
office@vmdinc.com
P: 561-558-3222
F: 561-354-5974
www.vmdinc.com

TABLE OF CONTENTS



01	REPLACEMENT PARTS
02	SAFETY + SECURITY
03	APPLIANCES
04	LABWARE
05	HVAC + REFRIGERATION
06	PLUMBING + PUMPS
07	STORAGE
08	WORKBENCH + SHOP
09	DESKS LUBRICANTS
10	ELECTRICAL + ELECTRONICS
11	MACHINING
12	SAFETY VESTS

FOR ANY PRODUCTS NOT LISTED PLEASE EMAIL US!

REPLACEMENT PARTS



We offer OEM replacement parts, guaranteed to work to exact manufacturer specs! Here are just a few of the brands we offer:

SAFETY



CONDOR Safety Glasses: Uncoated, No Foam Lining, Traditional Frame, Frameless, Black

MNF# 1VW15



RADIANS Safety Glasses: Uncoated, No Foam Lining, Wraparound Frame, Frameless, Gray Mirror, Silver

MNF# MR0160ID



PYRAMEX Protective Goggles: Uncoated, ANSI Dust/Splash Rating D3/D4, Non-Vented, Gray,

MNF# G704T



KLEEGUARD Protective Goggles: Anti-Scratch, ANSI Dust/Splash Rating D3, Indirect, Clear, Gray

MNF# 16362



SELLSTROM Ratchet Face Shield Assembly: Uncoated, Clear Visor, Acetate, Ratchet, Blue, 8 in Visor Ht

MNF# S39110



SELLSTROM Ratchet Face Shield Assembly: Uncoated, Clear Visor, Acetate, Ratchet, Blue, 6 in Visor Ht

MNF# S38110



GUARDIAN EQUIPMENT Plumbed Eyewash: Std, Wall Mnt, Eyes Coverage, Uncovered, Stainless Steel Bowl

MNF# G1814



HAWS Plumbed Shower: Wall Mnt, Stainless Steel Sprayhead, Galvanized Steel Pipe, Silver

MNF# 8123



BRADLEY Shower with Eyewash: Floor Mnt, Uncovered, Stainless Steel Bowl, Galvanized Steel Pipe

MNF# S193145B



BRK Smoke Alarm: Hardwired, Battery Backup, Smoke Detector, Ionization/Photoelectric, Hardwired

MNF# 3120B



FIRST ALERT Carbon Monoxide and Gas Alarm: Battery Backup, Explosive Gas/CO Detector

MNF# GC01CN



Vibratone Horn: 120V AC, Indoor, Flush or Semi-Flush Walls/Panels/Surface, 4 in Ht, 4 in Wd

MNF# 350-120-30

SECURITY



Padlock: 1 in Vertical Shackle Clearance, 15/16 in Horizontal Shackle Clearance, 3/8 in Shackle Dia

MNF# 5N



Padlock: 2 1/2 in Vertical Shackle Clearance, 15/16 in Horizontal Shackle Clearance, 4 Pin Pins

MNF# 5LJ



Security Cables: 72 in Cable Lg, 1/4 in Cable Dia, Steel, Vinyl, Weather Resistant, MASTER LOCK

MNF# 65D



Maximum Security Chain: 6 ft Chain Lg, 1/4 in Chain Dia, Steel, Zinc, Nylon, ABUS

MNF# 00712



Wall/Floor Anchor: Security Chain, Steel and Plastic, Mounting Hardware

MNF# WBA-100



KIDDE Alarm Control Panel: 5 2 AWG Class B Circuit Input, 2 2 AWG Class B Circuit Output, Red

MNF# FX-5R



Control Panel

MNF# GEM-P801



Intrusion Keypad: LCD, Integral Zone Expander, Programmable Panic Buttons, 5 7/8 in Keypad Wd

MNF# GEM-RP1CAE2



DEWALT Portable Alarm: Wireless, 3.7V Li-ion, 15 ft to 30 ft, 7 1/4 in Lg, 4 5/8 in Wd, 2 5/16 in Ht

MNF# D5600



SAFETY TECHNOLOGY INTERNATIONAL Wireless Entry Alert Chime w/Receiver: 500 ft, 3 15/16 in Lg

MNF# STI-3360G

APPLIANCES



Nexel® Self Contained Under Counter Ice Machine, Air Cooled, 210 Lb. Production/24 Hrs.
MNF# WB243029



Elkay EZH2O LZS8WSVRLK Water Refilling Station, VR Bubbler W/Filter, Light Gray
MNF# LZS8WSVRLK



Nexel® Reach In Freezer, 1 Solid Door, 23 Cu. Ft., Stainless Steel
MNF# 243009



Nexel® Compact Upright Freezer, Solid Door, 3.1 Cu. Ft., White
MNF# 243057



Danby® Built In Dishwasher, 12 Place Settings, Silver
MNF# DDW2404EBSS

LABWARE



Global Industrial™ Ultra-Low Temperature Undercounter Lab Freezer, 3.5 Cu.Ft., Solid Door
MNF# 2453707



Global Industrial™ Upright Laboratory Refrigerator, 31.4 Cu.Ft., 2 Glass Doors
MNF# 2453704



Air Science® P5-36XT Purair® Basic Ductless Fume Hood, 36"W x 27"D x 35"H
MNF# P5-36-XT



Quincy Lab 40GC Gravity Convection Lab Oven, 3.0 Cu.Ft., 115V 1500W
MNF# 40GC



Accucold® Blanket Warmer, 10.57 Cu. Ft. Capacity, 23-5/8"W x 23-3/4"D x 60"H, Stainless Steel
MNF# PTHC125G

HVAC

YELLOW JACKET Dye Disposable Injector: 6 PK



MNF# 69700

SPECTROLINE Fluorescent Dye Injector Kit



MNF# SPF-HVLBEZE

Speed Control: Dial, 2 Switches or Dials, 115/230V AC, Composite Plate, Gray Plate, 0.5 A



MNF# 35V92

CADET Under Cabinet Heater: 1350 W/1800 W/450 W/900 W Watt Output



MNF# 10051

MARKEL PRODUCTS Electric Baseboard Heater: Commercial Grade, 1,000 W, Brown, Conventional



MNF# 2910E-04BC

EMPIRE Gas Freestanding Floor Heater: Natural Gas, Solid Face Cabinet, Unit-Mounted, 350 cfm



MNF# DV20ENAT



Exhaust Fan: 160 cfm Max Airflow, 1 Speeds, 5 tones, Low Profile, 120V AC, 115V AC

MNF# G1814



DAYTON Tubeaxial Fan: Clean Air, 12 in Blade, 1,767 cfm @ 0.000 in SP, 115/230V AC, 1 Phase, 1/3 hp

MNF# 7F924



MOVINCOOL Ceiling Mount Air Conditioner: 10,500 BtuH Cooling Capacity, 400 to 450 sq ft, 115V AC

MNF# CM12



MOVINCOOL Portable Air Conditioner: 12,000 BtuH Cooling Capacity, 450 to 550 sq ft, 1 Phase

MNF# Climate Pro K12



Air Conditioner Condensing Unit: 2 t, R-410A, 3/4 in Suction Line Size, 27 1/2 in Ht, 26 in Wd

MNF# GSX140251



GOODMAN Cased Coil: Cased Coil, Horizontal, 2 ton Nominal Capacity, 14 in Ht, 26 in Wd, 21 1/8 in Dp

MNF# CHPF1824A6

REFRIGERATION



HIGHSIDE Joint Sealing Compound: 4 oz Size, Paste, 10,000 psi Max. Working Pressure, Blue

MNF# HS10004



HIGHSIDE Joint Sealing Compound: 4 oz Size, Paste, 10,000 psi Max. Working Pressure, Gold

MNF# HS11004



DOW FROST Inhibited Propylene Glycol: 1 gal Size, -60° to 325°F, Yellow

MNF# 9992103



NU-CALGON Propylene Glycol: Burst Kontr'l AP-100, 5 gal Size, -60° to 230°F, Blue

MNF# 4187-15



Nexel® Self Contained Under Counter Ice Machine, Air Cooled, 210 Lb. Production/24 Hrs.

MNF# WB243029



RANCO Freezer Control: Opens Low, 120/240, 4.6/2.3, SPST, Extra Low Temp.

MNF# o10-1419



JOHNSON CONTROLS Water Regulating Valve: NPT, 1 Connection Size (In.), 115 to 180

MNF# V47AD-2C



JOHNSON CONTROLS Water Regulating Valve: Flange, 1-1/2 Connection Size (In.), 70 to 260

MNF# V46BR-2C



Refrigeration Service/Shut-off Valve: 3/4 in ODF Connection Size, 7/8 in Outside Dia., Bi-directional

MNF# QL171R-12-12



MUELLER Diaphragm Valve: 1/2 in Solder x 1/2 in Solder, 2 7/8 in Overall Lg, Brass, -40°F to 300°F

MNF# A 14841

PLUMBING + PUMPS



3M AQUA-PURE Water Filter System: 5 micron, 20 gpm, 100,000 gal, 25 in Ht

MNF# 5621104



APPROVED VENDOR Trap: Plastic, White, 1 1/4 in Nominal Pipe Size, 9 in Overall Lg, Slip, Slip

MNF# 35374



3M AQUA-PURE Water Filter System: 0.5 micron, 0.6 gpm, 625 gal, 15 3/4 in Ht

MNF# 5583101



JUST MANUFACTURING Sink Drain: 2 7/8 in Overall Dia, 4 in Body Ht, 1 1/2 in Pipe Dia, Copper, Copper

MNF# Cu-J-15-FS



PURTEST UV Disinfection Unit: 8 gpm, 3 1/2 in Ht, 3 1/2 in Wd, 24 W, Reduces Bacteria

MNF# PT 8 UV



SMITH LIGHT COMMERCIAL Roof Drain: 8 3/4 in Overall Dia, 11 3/4 in Overall Ht, 8 3/4 in Overall Wd

MNF# 110-Y03



ASAHI Y Strainer: PVC, 1/2 in, Socket, Threaded, Mesh, 20 mesh, 150 psi, 3 1/8 in Ht

MNF# 1257005



GUY GRAY Outlet Box: 1/2 in MIP, 1/2 in MIP/Sweat, Center, 11.63 in Box Wd, 9.5 in Box Ht

MNF# 82026



HAYWARD Y Strainer: PVC, 1/2 in, Socket, Mesh, 7 mesh, 125 psi, 3 in Ht, PVC Screen Material

MNF# YS00050S



Hose Station: 1/2 in Pipe Size, FNPT x FNPT, 25 1/2 in Ht, Stainless Steel/Brass, Brass Finish

MNF# M1



RHEEM-RUUD Commercial Gas Water Heater: Natural Gas, Low NOx, 48 gal, 60,000 BTU, 61.75 in Ht

MNF# G50-60N



ASCO Valve Rebuild Kit

MNF# 302273



PULSATRON Chemical Metering Pump: Solenoid, Glass-Filled Polypropylene, CSPE/PTFE, Resin, PTFE,

MNF# LPB25A-PT-CJ-G19



STENNER Motor Service Kit: Motor Service Kit, MSK120, Stenner

MNF# MSK120



BLACKLINE by PULSAFEEDER Motor Driven Pump w/ VFD: Electric Motor, PVDF, PTFE, Aluminum, PVDF,

MNF# MD1CKTPN2C-XXX



STENNER Replacement Tube: Pump Head Tubing, Stenner, 1/4 in Connection Size, Santoprene, NPT, 5 PK

MNF# MCCP205



CHEM-TECH Chemical Metering Pump: Electric Motor, PVC, CSPE/PTFE/Viton, Styrene Acrylonitrile, PVC

MNF# X003-XA-AAAAG19



CHEM-TECH Replacement Tube Kit: Pump Head Tubing, Chem-Tech, XP, XP033LVHXG19, 4RZK3, Norprene

MNF# NC90XX4HPA-XXXXX



SEEPEX Progressive Cavity Pump: Progressive Cavity Pump, 280 psi Max. Discharge Pressure, Viton, NPT

MNF# MDR IMP 0015-24



PULSAFEEDER Chemical Solution Tank: 15 gal Tank Capacity, Polyethylene, Vertical

MNF# 8800667



STENNER Pump Head Repair Kit: Pump Head Repair Kit, S3107K, S3007AA101NG1, 52XH66, Plastic, Stenner

MNF# S3107K



STENNER Pump Control Module: 10 sec Max. Pulse Duration, 120V AC, Wall, 60 Hz Freq

MNF# PCM10



Elkay EZH2O LZS8WSVRLK Water Refilling Station, VR Bubbler W/Filter, Light Gray

MNF# LZS8WSVRLK



Elkay & Halsey Taylor 3000 Gallon WaterSentry Replacement Filter, 51300C

Model #: 51300C

STORAGE



Durham Heavy Duty Storage Cabinet HDC-203678-4S95 - 12 Gauge 36"W x 20"D x 78"H

MNF# HDC-203678-4S95



Global Industrial™ Flammable Cabinet, Self Close Double Door, 30 Gallon, 43"Wx18"Dx44"H

MNF# 237285



Equipto Handy Cabinet w/1 Shelf, 30"W x 13"D x 27"H, Textured Cherry Red

MNF# 1734-RD



Global Industrial™ Modular Drawer Cabinet, 14 Drawers, w/ Lock, 36"W x 24"D x 57"H, Blue

MNF# 298451BL



Global Industrial™ Storage Cabinet With Interior Shelving, Gray, 38"W x 24"D x 72"H

MNF# 662142

WORKBENCH & SHOP DESKS



**Dewalt Express Portable Folding Workbench,
1000 Lb. Capacity, Black - Pkg Qty 2**

ITEM# DWST11556



**BK Resources 430 Stainless Steel Table, 48 x 24",
Undershelf, 5" Backsplash, 18 Gauge**

MNF# VTTR5-4824



**Advance Tabco 304 Stainless Steel Cabinet
Table, 72 x 30", 5" Backsplash, Open Front, 14
Gauge**

MNF# CF-SS-306



**Global Industrial™ 60" W x 30" D Production Workbench
- Maple Square Edge Complete Bench - Blue**

MNF# 319163



**Global Industrial™ 72Wx30D Modular
Workbench, 5 Drawers, Maple Butcher Block
Square Edge, Blue**

MNF# 711152

LUBRICANTS



MOBIL Extreme Pressure Grease: Mobilgrease CM-5, 14 oz, Cartridge, NLGI 2, Lithium Thickener

MNF# 121080



JET-LUBE Multipurpose Grease: AP-1W, 14 oz, Cartridge, NLGI 2, Clay Thickener

MNF# 31650



LPS Multipurpose Grease: White Lithium, 10 oz, Aerosol Can, NLGI 2, Lithium Thickener

MNF# 03816



ANTI-SEIZE TECHNOLOGY Dielectric Grease: SG-One, 3 oz, Tube, H1 Food Grade, NLGI 1, PTFE Thickener

MNF# 24303



HERCULES Anti-Corrosion Grease: Plumber's Silicone Grease, 2 oz, Jar, Silica Thickener

MNF# 40610



ENERPAC Hydraulic Oil: HF-101, 1 gal, Jug, ISO Grade 32, Blue

MNF# HF101



MAG 1 Hydraulic Oil: Mag 1 AW, 3 gal, Jug, ISO Grade 46, Amber

MNF# MAG00462



LPS Machine Oil: Food Grade Machine Oil, H1 Food Grade, 11 oz, Metal-Detectable Aerosol Can

MNF# 01316



TRI-FLOW Machine Oil: Synthetic Oil, H1 Food Grade, 12 oz, Aerosol Can, ISO Grade 68

MNF# TF230101



General Purpose Lubricant: -50° to 500°F, PTFE, 4 oz, Squeeze Bottle, Amber

MNF# 120039



General Purpose Lubricant: -33° to 500°F, H2 No Food Contact, No Additives, 2 oz, Needle Nose Bottle

MNF# GPL-106



General Purpose Lubricant: -40° to 515°F, H1 Food Grade, No Additives, 1 gal, Jug, Colorless

MNF# GEARSYN FGG-150-001



General Purpose Dry Lubricant: 5.5 oz, 8 oz, Aerosol Can

MNF# 8-GS



Chain and Wire Rope Lubricants: 11 oz, 11 oz, Aerosol Can

MNF# 16-CCL



NU-CALGON: 122°F, Petroleum Distillates, 17 oz, Aerosol Can

MNF# 61106



RENEWABLE LUBRICANTS Penetrating Lubricant: -22° to 208°F, Vegetable Oil, 1 gal, Jug

MNF# 80353



SUPER LUBE Penetrating Lubricant: -30° to 200°F, H1 Food Grade, Synthetic Oil, 1 gal, Jug

MNF# 85010



WD-40 SPECIALIST Penetrating Lubricant: -50° to 400°F, Petroleum Distillates, 11 oz, Aerosol Can

MNF# 300004



WESTWARD Air-Operated Grease Gun: Flex Hose, 14 Strokes per Oz., 4,800 psi Max. Op Pressure

MNF# 3APF9



LINCOLN Cordless Grease Gun: 12 V Volt, Li-Ion, Pistol Grip Grease Gun Handle, Flex Hose

MNF# 1262



WESTWARD Grease Gun: Pistol Grip Grease Gun Handle, Flex Hose, 40 Strokes per Oz.

MNF# 4BY75



APPROVED VENDOR Level Indicator Assembly: Fits Trico Brand, For 5JG72/5JG71/5JG74/6Y847/6Y848

ITEM# 24WY86 MNF# 21185R



LDI INDUSTRIES Sight Feed Needle Valve: Cross, 2 15/16 Overall Lg

MNF# N401-01



LDI INDUSTRIES Solenoid Valve: Straight

MNF# ESS151-26

ELECTRICAL



Power Cord: 18 AWG Wire Size, 8 ft Cord Lg, Bare Leads, 10 A Max. Amps, PVC, SJT, NEMA 1-15P

MNF# 1FD84



Power Cord: 18 AWG Wire Size, 15 ft Cord Lg, IEC C13, 10 A Max. Amps, PVC, SJT, IEC C14

MNF# 5XF73ID



Power Cord: 14 AWG Wire Size, 8 ft Cord Lg, Bare Leads, 15 A Max. Amps, Rubber, SJO, 3 Conductors

MNF# 3AY39



TRIPP LITE Outlet Strip: 4 Outlets, 6 ft Cord Lg, 15 A Max. Amps, Beige, NEMA 5-15P, Power Indicator

MNF# 4SPDX



LEGRAND Furniture Power Outlet: 2 Outlets, Type A/ Type C, White, 10 ft Power Cord Lg, 125V AC

MNF# RDZCWH10



Electrical Box: Galvanized Steel, 1 1/2 in Nominal Dp, 4 in Nominal Wd, 4 in Nominal Lg, 2 Gangs

MNF# 911-9



Electrical Box: Galvanized Zinc, 1 in Nominal Dp, 2 in Nominal Wd, 3 3/4 in Nominal Lg, 1 Gangs

MNF# 404



Power Distribution Box: 120/240V AC, 30 A Amps, L14- 30P, (4) 5-20R GFCI, 3 Poles, 4 Wires

MNF# 6534UGSX



Power Distribution Box: 120/240V AC, 50 A Amps, Locking Receptacle 50A @ 125/250V AC, 3 Poles

6606GUF54



Temporary Power Box: 125/250 VAC, 50 A Amps, 50A @ 125/250V, 125/250V 50A 3P4 W 6369 Call- Style

MNF# 8806GFX



SOUTHWIRE Temporary Power Cord: Temporary Power Cord, 100 A Max. Amps, 120/208V AC, 5100C9W, 5

MNF# 5100PC



SOUTHWIRE Cam Lock Extension Cord: Cam Lock Extension Cord, 200 A Max. Amps, 600V AC, CL20FBK

MNF# 612255CBK

ELECTRONICS



POWER XP Door Lock Battery Pack: 6V DC, 2,900 mAh Capacity, 2 in Ht, 2.2 in Wd, Fits S7400-12 Model

MNF# DL-5



BRITE-STRIKE Rechargeable Battery: 18650 Battery Size, Lithium Ion, 3.7V DC

MNF# 18650 LI-ION 2400



STREAMLIGHT Rechargeable Battery Kit: Lithium Ion, 18650, 3-1/2 to 6-1/2 hr

MNF# 22010



DURACELL Rechargeable Battery: AA Battery Size, Nickel-Metal Hydride, 1.2V DC, 4 PK

MNF# DX1500R4



ENERGIZER Rechargeable Battery: AAA Battery Size, Nickel-Metal Hydride, 1.2V DC, 2 PK

MNF# NH12BP-2



SPECO TECHNOLOGIES Speaker Grill Combination: White, 15 W Max., 8 ohm Impedance, 8 in Woofer Dia.

MNF# G86TG



RITRON Wireless Intercom 2-Way: VHF MURS, 1 Channels, Polycarbonate, Hi-Visibility Green, 1 Pack

MNF# RQX-111M



AIPHONE Audio Master Station: 2 1/8 in Ht, 7 1/16 in Wd, 5 5/8 in Dp, 2 1/8 in Door Station Ht

MNF# LEM-1DL



AIPHONE Call Audio Master Station: 2 7/8 in Ht, 8 1/4 in Wd, 3 15/16 in Dp, 2 7/8 in Door Station Ht

MNF# TD-1H/B



SPECO TECHNOLOGIES Tabletop Microphone: Black

MNF# MHL55

MACHINING



Elmasonic Select 120 Extra Powerful Ultrasonic Cleaner with Heater/Timer/5 Modes, 3.5 Gallon

ITEM# 110 7001



JET® JDCS-505 Metal Dust Collector Stand 1/2 HP, 115V, 1Ph (20A)

MNF# 414800



Short Press-Fit Delrin Ball Plunger - Stainless Steel .197" Diameter

MNF# G08/NI



INSIZE Magnetic V-Block, 6801-1201

MNF# 877035



Milwaukee® 29pc Thunderbolt® Black Oxide Drill Bit Set

MNF# 48-89-2802

SAFETY VESTS



PREMIUM CLASS 2 MULTI-PURPOSE
TWO TONE MESH ZIPPER 6 POCKETS

GSS SAFETY
STYLE #1501

SIZES

S-5X

AVAILABLE COLORS



PREMIUM CLASS 2 MULTI-PURPOSE
TWO TONE MESH ZIPPER 6 POCKETS

GSS SAFETY
STYLE #1502

SIZES

S-5X

AVAILABLE COLORS



PREMIUM CLASS 2 HYPER-LITE VEST

GSS SAFETY
STYLE #1701

SIZES

S-5X

AVAILABLE COLORS



PREMIUM CLASS 2
HYPER-LITE VEST

GSS SAFETY
STYLE

#1702

SIZES

S-5X

AVAILABLE COLORS



CLASS 2 HYPER-LITE SAFETY VEST
W/BLACK SIDE

GSS SAFETY
STYLE #1703

SIZES

M-5X

AVAILABLE COLORS



CLASS 2 HYPER-LITE SAFETY VEST
W/BLACK SIDE

GSS SAFETY
STYLE #1704

SIZES

M-5X

AVAILABLE COLORS

